# CHROME: Concurrency-Aware Holistic Cache Management Framework with Online Reinforcement Learning

Xiaoyang Lu<sup>1</sup>, Hamed Najafi<sup>2</sup>, Jason Liu<sup>2</sup>, Xian-He Sun<sup>1</sup>
<sup>1</sup>Illinois Institute of Technology, <sup>2</sup>Florida International University

#### **Cache Management**

Essential for bridging the performance gap between fast CPU and slower main memory

Cache Replacement: Determines which cache blocks to evict when new data needs to be loaded

Cache Bypassing: Decides whether incoming data

should be stored in the cache

Prefetching: Predictively loads data into the cache

before it is actually requested by the CPU

## Limitations of Current Cache Management Schemes

We observe there are **two common limitations** faced by traditional cache management techniques:

Lack of Holistic View: Current schemes often examine cache replacement, bypassing, and prefetching in isolation, overlooking the potential benefits that could arise from a joint optimization strategy

Lack of Adaptability: Current schemes often rely on fixed heuristics that don't account for the changing access patterns of modern applications and system configurations


#### **Our Solution: CHROME**

A **holistic** cache management framework that **dynamically adapts** to various workloads and system configurations

Holistic Integration: Integrate cache bypassing and replacement with pattern-based prefetching Dynamic Online Learning: Utilizes online reinforcement learning to adapt cache management to varying workloads and system configurations Multiple Program Features: Employs multiple program features to achieve a thorough understanding of memory access patterns Concurrency-Aware Rewards: Implements a reward system that is aware of concurrent accesses, factoring in system-level feedback for decision-evaluation

Efficient Design: Minimal hardware overhead

### Reinforcement Learning (RL)







### Formulating Cache Management as an RL Problem

State: A vector of features for each access S = (PC, page number)

Using PC signature to distinguish between demand

accesses and prefetch accesses

Action: Using EPV to reflect the eviction priorities of the cache block

Cache miss (4 optional actions):


- Bypass LLC
- Insert the corresponding block in LLC with an EPV of low, moderate, or high


#### Cache hit (3 optional actions):


 Update the EPV of the corresponding block to low, moderate, or high

**Reward:** Considering

- Accuracy of each action
- Distinguish between actions triggered by demand or prefetching
- Concurrency-Aware System Feedback







- The holistic view provides a performance guarantee
- Online RL provides good adaptability and scalability
- CHROME can accurately provide cache management for different workloads
- CHROME outperforms all other schemes across all system configurations
- Performance advantage of CHROME over others increases with more cores

